

# **Safety Data Sheet**

Page 1 of 7

SDS No.: 153485

V001.4

Date of issue: 06.02.2020

respiratory tract irritation

LOCTITE 277 HIGH STRENGTH THREADLOCKER known as 277(TM) Threadlocker High Stre

# Section 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** LOCTITE 277 HIGH STRENGTH THREADLOCKER known as 277(TM) Threadlocker

High Stre

**Intended use:** Threadlocker

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

**Emergency information:** 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

## Section 2. Hazards identification

#### Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

## **GHS Classification:**

<u>Hazard Class</u> <u>Hazard Category</u> <u>Target organ</u>

Serious eye irritation Category 2A
Target Organ Systemic Toxicant - Category 3
Single exposure

Single exposure

Acute hazards to the aquatic

environment

Chronic hazards to the aquatic

environment

Category 3

Category 3

Hazard pictogram:



Signal word:

Warning

SDS No.: 153485

V001.4

## LOCTITE 277 HIGH STRENGTH THREADLOCKER

known as 277(TM) Threadlocker High Stre

**Hazard statement(s):** H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statement(s):** 

**Prevention:** P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment. P280 Wear eye protection/face protection.

**Response:** P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Storage: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:** P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations.

#### **Dangerous Goods information:**

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

## Section 3. Composition / information on ingredients

**General chemical description:** Mixture

Methacrylates

**Type of preparation:** Methacrylate resin based threadlocker

**Identity of ingredients:** 

Chemical ingredients	CAS-No.	Proportion
α, α-dimethylbenzyl hydroperoxide	80-15-9	1- < 3 %

## Section 4. First aid measures

**Ingestion:** Rinse mouth, do not induce vomiting, consult a doctor.

**Skin:** Rinse with running water and soap.

Seek medical advice.

Eyes: Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if

necessary.

**Inhalation:** Move to fresh air. If symptoms persist, seek medical advice.

First Aid facilities: Eye wash

Normal washroom facilities

Medical attention and special

treatment:

Treat symptomatically.

Page 3 of 7

SDS No.: 153485 V001.4

# LOCTITE 277 HIGH STRENGTH THREADLOCKER

known as 277(TM) Threadlocker High Stre

## Section 5. Fire fighting measures

Suitable extinguishing media: If product is involved in fire extinguish with dry powder, foam or carbon dioxide.

Decomposition products in case of

fire:

Oxides of carbon.
Oxides of sulfur.
Oxides of nitrogen.
Irritating organic vapours.

Particular danger in case of fire: None

Special protective equipment for

fire-fighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

## Section 6. Accidental release measures

Personal precautions: Avoid skin and eye contact.

Ensure adequate ventilation.

**Environmental precautions:** Do not let product enter drains.

**Clean-up methods:** For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

## Section 7. Handling and storage

**Precautions for safe handling:** Use only in well-ventilated areas.

Avoid skin and eye contact.

**Conditions for safe storage:** Ensure good ventilation/extraction.

Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to

containers as contamination may reduce the shelf life of the bulk product.

Store in a cool, well-ventilated place. Do not expose to direct heat. Store in sealed original container.

## Section 8. Exposure controls / personal protection

#### National exposure standards:

None

SDS No.: 153485

V001.4

# LOCTITE 277 HIGH STRENGTH THREADLOCKER

known as 277(TM) Threadlocker High Stre

**Engineering controls:** Ensure good ventilation/suction at the workplace.

**Eye protection:** Wear protective glasses.

**Skin protection:** Wear suitable protective clothing.

The use of chemical resistant gloves such as Nitrile is recommended.

Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

The use of chemical resistant gloves such as Neoprene or Natural Rubber is recommended

**Respiratory protection:** Use only in well-ventilated areas.

If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

## Section 9. Physical and chemical properties

Appearance: red

Odor: characteristic

Specific gravity: 1.1

**Flash point:**  $> 93.3 \, ^{\circ}\text{C} \, (> 199.94 \, ^{\circ}\text{F})$ 

(Tagliabue closed cup)

**Density:** 1.0800 g/cm3

## Section 10. Stability and reactivity

**Conditions to avoid:** Keep away from heat, spark and flame.

**Incompatible materials:** Strong acids and oxidizing agents.

copper Rust. Iron.

Oxygen scavengers. Strong alkalis. Reducing agents.

Other polymerization initiators.

Hazardous decomposition

products:

In case of fire toxic gases can be released.

Irritating vapors.
Oxides of carbon.

Hazardous polymerization: Will not occur.

## Section 11. Toxicological information

SDS No.: 153485 V001.4

# LOCTITE 277 HIGH STRENGTH THREADLOCKER

known as 277(TM) Threadlocker High Stre

**Health Effects:** 

Ingestion:May be harmful if swallowed.Skin:May cause mild skin irritation.Eyes:This product is irritating to the eyes.Inhalation:May cause respiratory tract irritation.

 ${\bf Aggravated\ med.}$ 

condition:

Eye, skin, and respiratory disorders.

## Acute toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
α, α-dimethylbenzyl	LD50	382 mg/kg	oral		rat	other guideline:
hydroperoxide	LD50	530 - 1,060			rat	other guideline:
80-15-9	Acute	mg/kg	dermal			Expert judgement
	toxicity	1,100 mg/kg	dermal			
	estimate					
	(ATE)					

#### Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
α, α-dimethylbenzyl	corrosive		rabbit	Draize Test
hydroperoxide				
80-15-9				

## Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9	positive	bacterial reverse mutation assay (e.g Ames test)	without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
α, α-dimethylbenzyl hydroperoxide 80-15-9	negative	dermal		mouse	not specified

## Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
α, α-dimethylbenzyl		inhalation:	6 h/d5 d/w	rat	not specified
hydroperoxide		aerosol			_
80-15-9					

## Section 12. Ecological information

SDS No.: 153485 V001.4

# LOCTITE 277 HIGH STRENGTH THREADLOCKER

known as 277(TM) Threadlocker High Stre

**General ecological information:** Do not empty into drains, soil or bodies of water.

## **Toxicity:**

Hazardous components	Value	Value	Acute	Exposure	Species	Method
CAS-No.	type		Toxicity Study	time		
α, α-dimethylbenzyl hydroperoxide	LC50	3.9 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute
80-15-9 α, α-dimethylbenzyl hydroperoxide	EC50	18 mg/l	Daphnia	48 h	Daphnia magna	Toxicity Test) OECD Guideline 202 (Daphnia sp.
80-15-9						Acute Immobilisation Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	ErC50	3.1 mg/l	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC10	70 mg/l	Bacteria	30 min		not specified

## Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
α, α-dimethylbenzyl		no data	0 %	OECD Guideline 301 B (Ready
hydroperoxide				Biodegradability: CO2 Evolution
80-15-9				Test)

#### Bioaccumulative potential / Mobility in soil:

Hazardous components	LogPow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
α, α-dimethylbenzyl		9.1		calculation		OECD Guideline 305
hydroperoxide						(Bioconcentration: Flow-
80-15-9						through Fish Test)
α, α-dimethylbenzyl	2.16					not specified
hydroperoxide						
80-15-9						

# Section 13. Disposal considerations

Waste disposal of product: Dispose of in accordance with local and national regulations.

**Disposal for uncleaned package:** After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

## Section 14. Transport information

#### Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

#### Marine transport IMDG:

Not dangerous goods

## Air transport IATA:

Not dangerous goods

Page 7 of 7

SDS No.: 153485 V001.4

# LOCTITE 277 HIGH STRENGTH THREADLOCKER

known as 277(TM) Threadlocker High Stre

#### Section 15. Regulatory information

SUSMP Poisons Schedule None

#### Section 16. Other information

Abbreviations/acronyms: GHS: Globally Harmonized System

CAS: Chemical Abstracts Service

LD 50: Lethal Dose 50%

OECD: Organization for Economic Cooperation and Development

IMDG: International Maritime Dangerous Goods code

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

ADGC - Australian Dangerous Goods Code

**Reason for issue:** Reviewed MSDS. Reissued with new date. involved chapters: 1,2,16

**Date of previous issue:** 09.02.2015

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.